

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(captur\$5 same index\$4 same device same (usage with data) same (number with page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:52
S2	1	(index\$4 same device same (usage with data) same (number with page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 18:55
S3	2	(index\$4 same printer same (usage with data) same (number with page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 18:57
S4	1	(regist\$4 same printer same (usage with data) same (number with page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 18:58
S5	3	(captur\$4 same printer same (usage with data) same (number with page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:04
S6	8	((obtain\$4 or quer\$5 or request\$5) same printer same (usage with data) same (number with page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:05
S7	3	((obtain\$4 or quer\$5 or request\$5) same printer same (usage with data) same (number with page)) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:06
S8	273	((obtain\$4 or quer\$5 or request\$5) same printer same (data) same (number with page)) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:06
S9	119	((obtain\$4 or quer\$5 or request\$5) with (number with page)) same data same (number near3 page) same printer) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:06

S10	118	((obtain\$4 or request\$5) with (number with page)) same data same (number near3 page) same printer) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:07
S11	44	((obtain\$4 or request\$5) with (number with page)) same data same (number near3 page) same printer).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:13
S12	38	((obtain\$4 or request\$5) with (number with page)) same data same (number near2 page) same printer).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:13
S13	53	((obtain\$4 or request\$5) with (number with page)) same data same printer).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:13
S14	10	((obtain\$4 or request\$5) near2 (number near2 page)) same data same printer).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:14
S15	7	(index same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:17
S16	42	((registry or table) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:24
S17	0	(captur\$4 same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:49
S18	150	((collect\$4 or receiv\$4) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:25
S19	9	((collect\$4) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:30

S20	106	(count\$4 same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:30
S21	12	(count\$4 same (index or regist\$4) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:44
S22	3	(allocat\$5 same (index or regist\$4) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:46
S23	40	((index or regist\$4) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:45
S24	2	((obtain\$4 near3 (index or regist\$4)) same printer same (number near2 page)).ab. and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:46
S25	2	((obtain\$4 near3 (index or regist\$4)) same printer same (number near2 page)) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:46
S26	14	(allocat\$5 same (index or regist\$4) same printer same (number near2 page)) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:46
S27	9	(captur\$4 same printer same (number near2 page)) and @ad<"20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:49